# DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
## DIVISION OF ENVIRONMENTAL HEALTH
## CHILD CARE FACILITY
## INSPECTION REPORT

| REASON | | GRADE | Inspection Date: | ESTABLISHMENT NAME: |
|---|---|---|---|---|
| Regular | ✓ | Ø | 5/2/16 | TENDER SARPAIRD PRESCHOOL/CCC |
| Follow-Up | | | Time In/Out: | OWNER/OPERATOR: |
| Complaint | | | 11:30 / 12:15 | LUTHERAN CHURCH OF GUAM |
| Investigation | | RATING | | LOCATION: JL ACANA ANTIGUA / Establishment Type: CCC/ NURSERY |
| Other: | | A | Sanitary Permit No.: 20000-150003054 | PERMIT STATUS: ✓ Valid ____ Temporary ____ Expired |
| No. of Children: 19 Male 21 Female 40 Total | | | | Child Care License: No.: 150057 ☒ Valid / / Provisional / / Expired |

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

| ITEM* | REMARKS | DEMERIT | CORRECT BY |
|---|---|---|---|
| | A REGULAR INSPECTION WAS CONDUCTED | | |
| | PREVIOUS INSPECTION CONDUCTED ON | | |
| | 2/25/16 (Ø, A) | | |
| | THE FOLLOWING WAS OBSERVED | | |
| | | | |
| | | | |
| | NO VIOLATIONS. | | |
| | | | |
| | "A" PLACARD #02168 ISSUED | | |
| | | | |
| | BRIEFED PIC JESSAME CRUZ ON ABOVE | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection: (2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title): Jessame Cruz Director

DEH Inspector (Name & Title): J. Cruz REPILOT